



High Temperature Condensation Particle Counter (HT- CPC)

Jeng K Rongchai and Nick Collings

kr298@cam.ac.uk

Outline

- Motivation
- The High Temperature CPC (HT-CPC)
 - Desirable characteristics and working fluids
 - Modelling
- Experiments
 - Experiment set-up
 - Fluid candidates
 - Results
- Conclusions





Motivation (1)


- Diesel particles are getting a bad press "Lyon, France, June 12, 2012 -- After a week-long meeting of international experts, the International Agency for Research on Cancer (IARC), which is part of the World Health Organization (WHO), today classified diesel engine exhaust as carcinogenic to humans (Group 1), based on sufficient evidence that exposure is associated with an increased risk for lung cancer."
- Particle number is here to satay
- Though recent studies suggest that for new vehicles, PM is heading towards the urban background, and NOx may be a bigger health concern.





Motivation (1)

Engine out, light-load, low soot conditions: Most of the number emissions are solid with Dp < 23 nm




Cummins 2004 ISM engine, AVL modes

"Courtesy" of Dr. Kittelson



Motivation (2)

Spark ignition engines can also produce tiny solid nanoparticles, especially with metal additives



Euro 3 passenger car, 10 ppm Mn in fuel, data courtesy Johnson-Matthey

Courtesy of Dr. Kittelson




Motivation (2)

- European legislated particle number method ("PMP") requires a complex system for the removal of volatile material, and cooling of the sample to ambient temperature, prior to measurement by a conventional CPC.
- This work is concerned with development of a HT-CPC that is insensitive to volatile particles (even though the PMP legislation would not allow the use of such an instrument as written), and permits "hot" inlet conditions. Whether or not such an instrument has relevance to PMP is not addressed here.



The HT-CPC – Requirements



Cooling Type Condenser

- High boiling point fluids are likely to have low mass diffusivity
- Optical Counter easier to keep at a safe temperature

Desirable characteristics


- Operating temperature sufficiently high to avoid nucleation of all volatile material, without the need for upstream removal.
- Mass diffusivity of fluid < thermal diffusivity of carrier gas
- Fluid stable at high temp, and in presence of oxygen etc. Non-toxic.
- Fluid vapour pressure appropriate at working temperature





How hot should a HT-CPC be?

- Difficult question! (Even without considering (hot) dilution in order to maintain single particle count mode.)
- Experience suggests that at >= 150 °C, no nucleation particles from a real-life engine sample will survive.
- For example (borrowing the PMP tetracontane test) if 10^4 #/cc $C_{40}H_{82}$ particles with $d_p = 30$ nm are fully vapourised, $p_{sat} \approx 4.5 \times 10^{-7}$ Pa, corresponding to $t_{sat} \approx 90$ °C (≈ 360 K).
- Perhaps 150 °C would be "safe" ($p_{sat} \approx 4x10^{-3} Pa$)









Modelling – Saturation ratio

 The model we have developed solves heat and vapour transfer in the condenser for the profiles of temperature, vapour pressure and hence saturation ratio.

(Comparison – using Butanol as the working fluid, $T_{saturator} = 35$ °C, $T_{condenser} = 10$ °C)











Modelling – Counting efficiency

- Assuming that all activated particles grow to detectable sizes, the counting efficiency is equal to the activation efficiency.
- Using the contour of Kelvin-equivalent activation diameter and particle concentration profile due to diffusion, the activation efficiency is #activated particles / #total inlet particles.










Experiment


Experimental Set-up







Typical operating conditions







Fluid Candidates


- Di Ethylhexyl Sebacate (DEHS)
- Perfluorocarbon
 - Fomblin Y 6/6
 - Fomblin Y 25/6
- 5-ring Polyphenyl-ether (Santavac 5)
- Tetraphenyl-tetramethyl-Trisilicane
 - DC704
 - K J Lesker 704





DEHS

Counting Efficiency (data corrected for diffusion losses and counting efficiency)



- Predicted Counting Efficiency for Solid Particles
- ◆ Tetracontane (>10,000 #/cc)
- NaCl

T_{saturator} 230 °C T_{condenser} 180 °C


DEHS decomposed over time which results in degraded counting efficiency of NaCl. However, it allowed significant test duration.





Perfluorocarbons and Polyphenylether

- Perflurocarbons (Fomblin Y 6/6 and Fomblin Y 25/6) are stable up to about 290°C. However, they were found unable to grow NaCl particles under the homogeneous-nucleation-free conditions. Possibly because they do not wet the particles.
- Polyphenylether (Santavac 5) has an excellent decomposition temperature of 443°C. However, it was found unable to grow NaCl particles. Possibly due to low vapour pressure.








Tetraphenyl-tetramethyl-Trisilicane (DC704)

Counting Efficiency (data corrected for diffusion losses and counting efficiency)








Tetraphenyl-tetramethyl-Trisilicane (Lesker704)

Counting Efficiency (data corrected for diffusion losses and counting efficiency)








Tetraphenyl-tetramethyl-trisiloxane (Lesker705)

Counting Efficiency (data corrected for diffusion losses and counting efficiency)



- **NaCl particles**
- **Tetracontane** (>10000 #/cc)
- ▲ DPG soot particles
- Ambient particles
- Theory

290 °C saturator T_{condenser} 215 °C



Conclusions

- A HT-CPC using Di-Ethylhexyl-Sebacate (DEHS) as the working fluid running at 230/180 °C has been built and tested.
- The measured counting efficiency for NaCl particles (solid particles) agrees well with model predictions.
- Tetracontane particles of electrical mobility diameter range 7nm –
 310nm @ concentration higher than 10⁴ #/cc were removed with about 99% efficiency, even without sample pre-heating or dilution.
- DEHS is not suitable due to thermal decomposition
- However, the DEHS CPC has successfully demonstrated the HT-CPC concept, though not as yet on combustion-generated particles.





Thank you

High Temperature Condensation Particle Counter

Jeng Kanchit Rongchai

kr298@cam.ac.uk

Nick Collings

nc10001@eng.cam.ac.uk



